

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"5838906".pn.	US-PGPUB; USPAT	OR	ON	2005/12/23 17:24
S2	1	"4815029".PN.	USPAT	OR	OFF	2003/08/19 10:57
S3	1	"4847604".PN.	USPAT	OR	OFF	2003/08/19 11:02
S4	1	"4949248".PN.	USPAT	OR	OFF	2003/08/19 11:06
S5	1	"5146553".PN.	USPAT	OR	OFF	2003/08/19 11:09
S6	1	"4949248".PN.	USPAT	OR	OFF	2003/08/19 11:09
S7	1	"5146553".PN.	USPAT	OR	OFF	2003/08/19 11:09
S8	1	"5202828".PN.	USPAT	OR	OFF	2003/08/19 11:10
S9	1	"5204947".PN.	USPAT	OR	OFF	2006/04/18 13:38
S10	2668	((writ\$3 or delet\$3 or chang\$3) adj2 ("registry keys" or register) and cache) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/19 11:24
S11	147	((writ\$3 or delet\$3 or chang\$3) adj2 ("registry keys" or register) and cache) and @py<"2000") and (ole or plugin or com)	US-PGPUB; USPAT	OR	ON	2003/08/19 11:51
S12	0	(((((writ\$3 or delet\$3 or chang\$3) adj2 ("registry keys" or register) and cache) and @py<"2000") and (ole or plugin or com))) and (cache and (registry or register))) and "registry key"	US-PGPUB; USPAT	OR	ON	2003/08/19 11:26
S13	5	(((((writ\$3 or delet\$3 or chang\$3) adj2 ("registry keys" or register) and cache) and @py<"2000") and (ole or plugin or com))) and (cache and (registry or register))) and ("master-slave")	US-PGPUB; USPAT	OR	ON	2003/08/19 11:26
S14	147	(((((writ\$3 or delet\$3 or chang\$3) adj2 ("registry keys" or register) and cache) and @py<"2000") and (ole or plugin or com))) and (cache and (registry or register))	US-PGPUB; USPAT	OR	ON	2003/08/19 11:36
S15	62	((writ\$3 or delet\$3 or chang\$3) adj2 ("registry keys" or register) and cache) and @py<"2000") and (ole or plugin or "plug-in")	US-PGPUB; USPAT	OR	ON	2003/08/19 12:59
S16	53	processor adj caching	US-PGPUB; USPAT	OR	ON	2003/08/19 12:59
S17	26	(processor adj caching) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/19 13:10

## EAST Search History

S18	14	((processor adj caching) and @py<"2000") and (register or registry)	US-PGPUB; USPAT	OR	ON	2003/08/19 13:15
S19	0	((processor adj caching) and @py<"2000") and (register or registry) and ("parent-child" or "master-slave")	US-PGPUB; USPAT	OR	ON	2003/08/19 15:27
S20	681	(cache near (register or registry)) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/19 15:34
S21	0	((cache near (register or registry)) and @py<"2000") and (compare near cache near (register or registry))	US-PGPUB; USPAT	OR	ON	2003/08/19 15:30
S22	0	compare near cache near (register or registry)	US-PGPUB; USPAT	OR	ON	2003/08/19 15:32
S23	0	((register or registry) near cache) near compare	US-PGPUB; USPAT	OR	ON	2003/08/19 15:32
S24	2	((cache near (register or registry)) and @py<"2000") and (ole or "plug-in" or plugin)	US-PGPUB; USPAT	OR	ON	2003/08/19 15:38
S25	5	((cache near (register or registry)) and @py<"2000") and ((application or program or software) adj2 list)	US-PGPUB; USPAT	OR	ON	2003/08/19 16:02
S26	5	((cache near (register or registry)) and @py<"2000") and ((application or program or software) near list)	US-PGPUB; USPAT	OR	ON	2003/08/19 16:08
S27	5	((cache near (register or registry)) and @py<"2000") and ((application or program or software or module) near list)	US-PGPUB; USPAT	OR	ON	2003/08/19 16:08
S28	12242	"master-slave" or (master adj slave)	US-PGPUB; USPAT	OR	ON	2003/08/26 11:02
S29	7311	("master-slave" or (master adj slave)) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/26 11:02
S30	79	("master-slave" or (master adj slave)) near object	US-PGPUB; USPAT	OR	ON	2003/08/26 11:03
S31	65	((("master-slave" or (master adj slave)) near object) and (address or location or id or identification or flag or data or information))	US-PGPUB; USPAT	OR	ON	2003/08/26 11:05
S32	39	((("master-slave" or (master adj slave)) near object) and (address or location or id or identification))	US-PGPUB; USPAT	OR	ON	2003/08/26 11:13
S33	5	((("master-slave" or (master adj slave)) near object) and (address or location or id or identification)) and "translation"	US-PGPUB; USPAT	OR	ON	2003/08/26 12:27

## EAST Search History

S34	12	((("master-slave" or (master adj slave) or "parent-child" or (parent adj child)) near object) and (object near (attribute or trait or characteristic)) and (object near (load or read or write)) and (translate or convert)	US-PGPUB; USPAT	OR	ON	2003/08/26 13:44
S35	0	"005838906"	US-PGPUB; USPAT	OR	ON	2003/08/26 13:44
S36	0	"005838906".pn.	US-PGPUB; USPAT	OR	ON	2003/08/26 13:45
S37	1	"5838906".pn.	US-PGPUB; USPAT	OR	ON	2005/06/08 16:02
S38	1	"5371674".pn.	US-PGPUB; USPAT	OR	ON	2003/08/27 11:42
S39	1	"5020021".PN.	USPAT	OR	OFF	2003/08/27 11:40
S40	16	stemmer and translat\$3 and (software or program) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/27 11:43
S41	1071	(language near translat\$3) and (stemmer or base) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/27 11:44
S42	453	((language near translat\$3) and (stemmer or base) and @py<"2000") and software	US-PGPUB; USPAT	OR	ON	2003/08/27 11:49
S43	0	((language near translat\$3) and (stemmer or base) and @py<"2000") and software) and "stemmer"	US-PGPUB; USPAT	OR	ON	2003/08/27 11:49
S44	1720	"stemmer"	US-PGPUB; USPAT	OR	ON	2003/08/27 11:49
S45	2	"stemmer" and (translat\$3 near language)	US-PGPUB; USPAT	OR	ON	2003/08/27 11:51
S46	690	"stemmer" and translation and software	US-PGPUB; USPAT	OR	ON	2003/08/27 11:52
S47	184	("stemmer" and translation and software) and language	US-PGPUB; USPAT	OR	ON	2003/08/27 11:58
S48	4	((("stemmer" and translation and software) and language) and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/27 12:02
S49	0	"704".ccls.	US-PGPUB; USPAT	OR	ON	2003/08/27 12:02
S50	10314	"704".clas.	US-PGPUB; USPAT	OR	ON	2003/08/27 12:10
S51	4	"704".clas. and @py<"2000" and "stemmer"	US-PGPUB; USPAT	OR	ON	2003/08/27 12:03

## EAST Search History

S52	989	"704".clas. and @py<"2000" and ("translate" or "translation")	US-PGPUB; USPAT	OR	ON	2003/08/27 12:04
S53	413	("704".clas. and @py<"2000" and ("translate" or "translation")) and software	US-PGPUB; USPAT	OR	ON	2003/08/27 12:04
S54	97	((("704".clas. and @py<"2000" and ("translate" or "translation")) and software) and ("root" or "stem" or "stemmer"))	US-PGPUB; USPAT	OR	ON	2003/08/27 12:05
S55	5484	"704".clas. and @py<"2000"	US-PGPUB; USPAT	OR	ON	2003/08/27 12:10
S56	81	("704".clas. and @py<"2000") and (base adj word)	US-PGPUB; USPAT	OR	ON	2003/08/27 12:13
S57	2	((("704".clas. and @py<"2000") and (base adj word)) and ("translation software" or "translation program"))	US-PGPUB; USPAT	OR	ON	2003/08/27 12:19
S58	4	("704".clas. and @py<"2000") and "stemmer"	US-PGPUB; USPAT	OR	ON	2003/08/27 12:19
S59	78	("704".clas. and @py<"2000") and (base adj2 (word or term)) and (translation or translate)	US-PGPUB; USPAT	OR	ON	2003/08/27 15:53
S60	1	"5170474".pn.	US-PGPUB; USPAT	OR	ON	2003/08/27 15:53
S61	1	"5490061".pn.	US-PGPUB; USPAT	OR	ON	2004/11/27 17:30
S62	7	@ay<"2000" and ((run\$5 or process\$5 or execut\$5) with (application or program or script or executable) with ((unknown or mysterious or unseen) with (file with (format or type))))	US-PGPUB; USPAT	OR	ON	2004/11/27 21:55
S63	0	@ay<"2000" and ((automatic\$9 with "by itself") with (run\$5 or process\$5 or execut\$5) with (application or program or script or executable) with ((unknown or mysterious or unseen) with (file with (format or type))))	US-PGPUB; USPAT	OR	ON	2004/11/27 21:50
S64	543	@ay<"2000" and ((program or application or software) with (run\$5 or process\$5 or execut\$5) with (script or (lines with code)) with (task or servic\$5 or operation or job))	US-PGPUB; USPAT	OR	ON	2004/11/27 21:58

## EAST Search History

S65	529	@ay<"2000" and ((program or application or software) with (run\$5 or process\$5 or execut\$5) with (script or (lines with code)) with (task or servic\$5 or operation or job)) not microsoft.as.	US-PGPUB; USPAT	OR	ON	2004/11/27 22:01
S67	9	@ay<"2000" and ((program or application or software) adj2 ((run\$5 or process\$5 or execut\$5) with (script or (lines with code))) with (task or servic\$5 or operation or job)) not microsoft.as.	US-PGPUB; USPAT	OR	ON	2005/06/08 22:08
S68	1	"5564044".pn.	US-PGPUB; USPAT	OR	ON	2005/06/08 16:02
S69	0	@ay<"2000" and ((program or application or software) adj2 ((run\$5 or process\$5 or execut\$5) with (script or (lines with code))) with (task or servic\$5 or operation or job)) and dll	US-PGPUB; USPAT	OR	ON	2005/06/08 22:09
S70	3189	@ay<"2000" and dll	US-PGPUB; USPAT	OR	ON	2005/06/08 22:09
S71	33	@ay<"2000" and dll and ((run\$5 or execut\$5 or use or using) with (program or application or software) with (another or different) with dll)	US-PGPUB; USPAT	OR	ON	2005/06/08 22:10
S72	1	"5564044".pn.	US-PGPUB; USPAT	OR	ON	2005/06/13 06:22
S73	1	"5802367".pn.	US-PGPUB; USPAT	OR	ON	2005/12/23 17:24
S74	1	"5802367".pn.	USPAT	OR	OFF	2006/04/18 13:38



Thu, 20 Jul 2006, 5:25:03 PM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

## Search Query Display



Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

- #1 (((run <or> execute) <and> (one <or> first) <and> (application <or> program) <and> (another <or> second) <and> (application <or> program))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #2 (((run <or> execute) <and> (one <or> first) <and> (application <or> program) <and> (another <or> second) <and> (application <or> program) <and> network)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #3 (((run <or> execute) <and> (one <or> first) <and> (application <or> program) <and> (another <or> second) <and> (application <or> program) <and> network <and> objects)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #4 (((run <or> execute) <and> (one <or> first) <and> (application <or> program) <and> (another <or> second) <and> (application <or> program) <and> network)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #5 (((run <or> execute) <and> (one <or> first) <and> (application <or> program) <and> (another <or> second) <and> (application <or> program) <and> network <and> instance)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #6 (((run <or> execute) <and> (one <or> first) <and> (application <or> program) <and> (another <or> second) <and> (application <or> program) <and> network <and> instance)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #7 (((run <or> execute) <and> (one <or> first) <and> (application <or> program <or> process) <and> (surrogate <or> another <or> second) <and> (application <or> program <or> process) <and> network <and> instance)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #8 (((run <or> execute) <and> (one <or> first) <and> (application <or> program <or> process) <and> (surrogate <or> another <or> second) <and> (application <or> program <or> process) <and> network)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #9 (((surrogate <and> (process <or> application <or> program)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)
- #10 (((surrogate <and> (process <or> application <or> program)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)

#11 (((surrogate <and> (process <or> application <or> program)))  
<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)

#12 (((surrogate <and> (process <or> application <or> program))  
<and> (computer <or> network <or> pc <or> workstation))  
<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 1999)



Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE –